



HAIBIKE

Xduro Superrace 28"

RRP \$7,800

HAIBIKE



Highlights

Industry-leading Bosch drive system.

Pro-level components.

Reynolds wheelset and hydraulic disc brakes.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	28 mph / 45 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061 Race, hydroformed tubes, gravity casting interface, tapered
FORK	Xduro aluminum, tapered
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	SRAM X0 trigger
REAR DERAILLEUR	SRAM X0 trigger
CRANKSET	The Hive, Exalite R forged aluminum
CASSETTE	SRAM XG1195, 10-42T, 11-speed
CHAIN	SRAM XX1
PEDALS	XLC one piece

WHEELSET

WHEELSET	Reynolds Assault SLG Disc
TIRES	Schwalbe Energizer, 700 x 32c

COMPONENTS

BRAKES	Shimano Deore XT M785, Ice-Tech, hydraulic disc 203/180mm rotors front/rear
BRAKE LEVER	Shimano Deore XT M785 hydraulic
HANDLEBAR	Xduro Lowriser Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with Locking Rings
SADDLE	Xduro Light MTB
SEATPOST	Xduro aluminum
ACCESSORIES	LED Superbright headlight made by Trelock; Pletscher kickstand

GENERAL

COLORS	Black
SIZING	50, 53, 56, 59, 62cm

Key features

- Ultimate on-road performance.
- A spec that would be at home on a professional racing bike, there are no compromises here.
- The Shimano Deore XT hydraulic brakes have more than enough stopping power to handle hard and fast riding. The SRAM X01 1x11 speed drivetrain is the newest and best-performing yet. Strong and fast rolling 700c Reynolds Assault wheelset with racing tires.

Order Information

SKU#	SIZE / COLOR
HB-SUPR-50-BK	50cm / Black
HB-SUPR-53-BK	53cm / Black
HB-SUPR-56-BK	56cm / Black
HB-SUPR-59-BK	59cm / Black
HB-SUPR-62-BK	62cm / Black

Xduro AMT Pro 27.5"

RRP \$7,800

HAIBIKE



Highlights

Industry-leading Bosch drive system.

Race-level components.

Crank Brothers 650b wheelset.

150mm of front and rear suspension.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, AMT, 4-bar linkage system, gravity casting interface, hydroformed tubes, 150mm travel
FORK	Fox 34 Talas CTD Adjust FIT 120-150mm, air spring and rebound, 15mm thru axle
REAR SHOCK	Fox CTD Kashima BV LV, 150mm frame travel
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	SRAM X01
REAR DERAILLEUR	SRAM X01
CRANKSET	The Hive, Exalite R forged aluminum
CASSETTE	SRAM XG1195, 10-42T, 11-speed
CHAIN	SRAM XX1
PEDALS	XLC MTB

WHEELSET

WHEELSET	Crank Brothers Iodine 3, front 15mm thru axle, rear 142/12mm axle
TIRES	Schwalbe Hans Dampf PSC, foldable, 27.5x2.25"

COMPONENTS

BRAKES	Avid X.0 Trail, hydraulic disc 200/180mm rotors front/rear
BRAKE LEVER	Avid X.0 hydraulic
HANDLEBAR	Xduro Lowrider Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with locking rings
SADDLE	Xduro Light MTB
SEATPOST	Crank Brothers Kronolog, remote

GENERAL

COLORS	Black
SIZING	40, 44, 48, 52cm

Key features

- Pro-level spec, all-mountain performance. This is the bike for every condition and every terrain.
- More suspension means more fun. With 150mm front and rear, there's no shortage here.
- The hydraulic brakes have more than enough stopping power to handle hard and fast riding. The SRAM X01 1x11 speed drivetrain is the newest and best-performing yet. Crank Brothers Iodine 27.5" wheels are the perfect balance between rolling efficiency, weight and speed. Fox racing suspension is plush and reliable.

Order Information

SKU#	SIZE / COLOR
HB-AMTPRO-40-BK	40cm / Black
HB-AMTPRO-44-BK	44cm / Black
HB-AMTPRO-48-BK	48cm / Black
HB-AMTPRO-52-BK	52cm / Black

Xduro AMT RX 27.5"

RRP \$5,500

HAIBIKE



Highlights

Industry-leading Bosch drive system.

DT Swiss/XLC 650b wheelset.

150mm of front and rear suspension.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, AMT, 4-bar linkage system, gravity casting interface, hydroformed tubes, 150mm travel
FORK	Fox 32 Talas CTD O/C 120-150 mm, tapered
REAR SHOCK	Fox CTD LV, 150mm frame travel
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	Shimano SLX M 670, Rapidfire, I-Spec
REAR DERAILLEUR	Shimano Deore XT M 786 Shadow Plus
CRANKSET	The Hive, Exalite R forged aluminum
CASSETTE	SRAM PG 1030, 11-36T, 10-speed
CHAIN	Shimano HG 54
PEDALS	XLC MTB

WHEELSET

WHEELSET	DT Swiss M1700, front 15mm thru axle, rear 142/12mm axle
HUBS FRONT/REAR	XLC EVO Disc, front with 15mm thru axle, rear with 142/12 axle
RIMS	DT Swiss 466d Disc, double wall
SPOKES	DT Swiss Industry 2.0mm
TIRES	Schwalbe Hans Dampf PSC, foldable, 27.5x2.25 "

COMPONENTS

BRAKES	Shimano Deore M 615 hydraulic disc 203/180mm rotors front/rear
BRAKE LEVER	Shimano M615 hydraulic
HANDLEBAR	Xduro Lowriser Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with locking rings
SADDLE	Xduro Light MTB
SEATPOST	Crank Brothers Kronolog, remote

GENERAL

COLORS	Silver
SIZING	40, 44, 48, 52cm

Key features

- More suspension means you go faster. With 150mm of it the front and rear, there's no shortage of that here.
- The hydraulic brakes have more than enough stopping power to handle hard and fast riding. The 1x10 speed drivetrain is efficient and easy to maintain. 27.5" wheels are the perfect balance between rolling efficiency, weight and speed. Fox racing suspension is plush and reliable.
- A spec aimed at performance seekers on a budget—but with the same electronics as our highest-end models, you won't notice.

Order Information

SKU#	SIZE / COLOR
HB-AMTRX-40-SL	40cm / Silver
HB-AMTRX-44-SL	44cm / Silver
HB-AMTRX-48-SL	48cm / Silver
HB-AMTRX-52-SL	52cm / Silver

Xduro NDURO Pro 26"

RRP \$8,600

HAIBIKE



Highlights

Industry-leading Bosch drive system.

Mavic Crossmax Enduro wheelset.

SRAM XX1 drivetrain and X.0 brakes.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, Enduro, 4-bar linkage system, gravity casting interface, hydroformed tubes, 180mm travel
FORK	Fox 36 Talas 180mm RC2 FIT Kashima
REAR SHOCK	Fox CTD X Kashima 216mm
HEADSET	Cane Creek Angleseat, tapered

DRIVETRAIN

SHIFT LEVER	Sram XX1 Trigger
REAR DERAILLEUR	Sram XX1 Carbon
CRANKSET	The Hive, Exalite R forged aluminum
CASSETTE	SRAM XX1, 10-42, 11-speed
CHAIN	SRAM XX1
PEDALS	Xduro freeride platform

WHEELSET

WHEELSET	Mavic Crossmax Enduro
TIRES	Mavic Crossmax Enduro WTS

COMPONENTS

BRAKES	Avid X.0 hydraulic disc, 200/180mm front/rear
BRAKE LEVER	Avid X.0 hydraulic
HANDLEBAR	Thomson Downhill Carbon
STEM	Thomson Elite X4
GRIPS	XLC Enduro vice grip
SADDLE	Selle San Marco Concor Kevlar
SEATPOST	Crank Brothers Kronolog, remote

GENERAL

COLORS	Gray/Yellow
SIZING	56, 57.5, 59, 60.5cm

Key features

- Designed for any trail, any time; the NDURO is the hardest-hitting bike in the XDURO line.
- Pro-level components make no compromises; SRAM XX1 and X.0 drivetrain and brakes, Thomson handlebar and stem, a Crank Brothers remote dropper seatpost and Mavic Crossmax wheels.
- Highly-engineered 180mm enduro frameset fully integrates the Bosch drive system.

Xduro FS RX 27.5"

RRP \$4,900

HAIBIKE



Highlights

Industry-leading Bosch drive system.

120mm of front and rear suspension.

650b wheels and hydraulic brakes.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, Tour, 4-bar linkage system, gravity casting interface, hydroformed tubes, 120mm travel
FORK	Rock Shox Reba SL Tapered, Poploc, Air suspension with damping, 120mm travel, 15mm thru axle
REAR SHOCK	Fox CTD LV, 120mm frame travel
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	Shimano SLX M 670, Rapidfire, I-Spec
REAR DERAILLEUR	Shimano SLX M 675 Shadow Plus
CRANKSET	Xduro Alu
CASSETTE	SRAM PG 1030, 11-36T, 10-speed
CHAIN	Shimano HG 54
PEDALS	XLC MTB

WHEELSET

HUBS FRONT/REAR	XLC EVO Disc, front with 15mm thru axle, rear with 142/12 axle
RIMS	DT Swiss 466d Disc, double wall
SPOKES	DT Swiss Industry 2.0mm
TIRES	Schwalbe Nobby Nic Performance, foldable, 27.5x2.25 "

COMPONENTS

BRAKES	Shimano M615 hydraulic disc, 203/180mm rotors
BRAKE LEVER	Shimano M615 hydraulic
HANDLEBAR	Xduro Lowrider Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with locking rings
SADDLE	Xduro Light MTB
SEATPOST	Xduro aluminum

GENERAL

COLORS	Lime / White
SIZING	40, 45, 50, 55cm

Key features

- A balance between up and down, this bike is equally at home climbing the mountain as it is blasting down it.
- The hydraulic brakes have more than enough stopping power to handle hard and fast riding. The 1x10 speed drivetrain is efficient and easy to maintain. 27.5" wheels are the perfect balance between rolling efficiency, weight and speed. Rock-Shox suspension is the best in the business.
- A mid-level spec makes this bike good for those looking for full suspension performance on a budget—but with the same electronics as our highest-end models, you won't notice.

Order Information

SKU#	SIZE / COLOR
HB-RXFS-40-LM	40cm / Lime
HB-RXFS-45-LM	45cm / Lime
HB-RXFS-50-LM	50cm / Lime
HB-RXFS-55-LM	55cm / Lime
HB-RXFS-40-WH	40cm / White
HB-RXFS-45-WH	45cm / White
HB-RXFS-50-WH	50cm / White
HB-RXFS-55-WH	55cm / White

Xduro RX 29"

RRP \$4,000

HAIBIKE



Highlights

Industry-leading Bosch drive system.

Highly-engineered hardtail frameset.

DT Swiss/XLC 29" wheelset.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, hydroformed tubes, gravity casting interface, 142/12mm rear OLN
FORK	Rock Shox Recon Silver Air, PopLoc, air suspension with damping, 100mm travel, 15mm thru axle
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	Shimano Deore, SL-M 610, Rapidfire
REAR DERAILLEUR	Shimano SLX M 675 Shadow Plus
CRANKSET	Xduro Alu
CASSETTE	SRAM PG 1030, 11-36, 10-speed
CHAIN	Shimano HG 54
PEDALS	XLC MTB

WHEELSET

HUBS FRONT/REAR	XLC EVO Disc, front with 15mm thru axle, rear with 142/12 axle
RIMS	DT Swiss 466d Disc, double wall
SPOKES	DT Swiss Industry 2.0mm
TIRES	Schwalbe Racing Ralph Evolution, foldable, 29x2.25 "

COMPONENTS

BRAKES	Tektro Gemini, hydraulic disc, 180mm rotors
BRAKE LEVER	Tektro Gemini hydraulic with reach adjust
HANDLEBAR	Xduro Lowrider Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with locking rings
SADDLE	Xduro Light MTB
SEATPOST	Xduro aluminum

GENERAL

COLORS	Grey/Black / Grey/White
SIZING	40, 45, 50, 55cm

Key features

- 29-inch wheels are more stable and sure-footed, perfect for old pros and people new to mountain biking alike.
- The hydraulic brakes have enough stopping power to handle hard and fast riding. The 1x10 drivetrain is efficient and easy to maintain. 29 inch wheels roll easily over rough ground. RockShox suspension is the best in the business.
- A mid-level component spec makes this the most affordable Haibike mountain bike—but with the same electronics as our highest-end models, you won't notice.

Order Information

SKU#	SIZE / COLOR
HB-RX-40-BK	40cm / Black
HB-RX-45-BK	45cm / Black
HB-RX-50-BK	50cm / Black
HB-RX-55-BK	55cm / Black
HB-RX-40-WH	40cm / White
HB-RX-45-WH	45cm / White
HB-RX-50-WH	50cm / White
HB-RX-55-WH	55cm / White

Xduro Trekking RX

RRP \$4,000

HAIBIKE



Highlights

Industry-leading Bosch drive system.

Rack, fenders, and integrated lighting system.

Hydraulic disc brakes and a 3x9 drivetrain.

Specifications

E-SYSTEM

MOTOR	Bosch centerdrive performance system
BATTERY	Lithium-ion, 400Wh
DISPLAY	Bosch Intuvia LCD multi-function display with variable boost modes and other functions
SPEED	20 mph / 32 kph
RANGE	25 - 35 miles / 40 - 56 km with normal pedaling

FRAME

FRAME	Aluminum 6061, hydroformed tubes, gravity casting interface, tapered
FORK	Sr Suntour NCX-D LO CTS, with lockout, 63mm travel, tapered
HEADSET	FSA No. 57, semi-integrated, tapered

DRIVETRAIN

SHIFT LEVER	SRAM Dual Drive trigger
REAR DERAILLEUR	SRAM Dual Drive
CRANKSET	Xduro Alu
CASSETTE	SRAM PG 950, 11-34, 9-speed
CHAIN	Shimano HG 53
PEDALS	XLC one-piece

WHEELSET

HUBS FRONT/REAR	Shimano 3D30 dynamo front, SRAM Dual Drive 3-speed rear, with 10mm QR
RIMS	Rodi T 622, alloy double walls, eyelets
SPOKES	DT Swiss Industry, black, 2.0mm
TIRES	Schwalbe Energizer Pro, 700x38c, reflective sidewalls

COMPONENTS

BRAKES	Tektro Gemini, hydraulic disc, 180/160mm front/rear
BRAKE LEVER	Tektro Gemini hydraulic with reach adjust
HANDLEBAR	Xduro Lowriser Alu
STEM	Xduro Alu, A-Head
GRIPS	XLC Sport with locking rings
SADDLE	Selle San Marco Milano
SEATPOST	Xduro aluminum
ACCESSORIES	LED Superbright headlight made by Trelock, Pletscher kickstand, rear rack and fenders.

GENERAL

COLORS	Grey/Black
SIZING	48, 52, 56, 60cm

Key features

- A rugged, functional city spec: Tough tires, integrated lights, fenders and a rear rack give the Trekking flexible utility.
- Hydraulic disc brakes keep the powerful 350w drive system in check.
- A suspension fork with lockout smooths out beat-up city roads.